BILL NO. S-75-05-07

 SPECIAL ORDINANCE NO. S-83-75

AN ORDINANCE approving a certain bid document with SUMMIT CITY COACH COMPANY for purchase of ambulance

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT

WAYNE, INDIANA:

SECTION 1. A certain bid document Ref. No. 645 dated April 24,

of Public Safety and SUMMIT CITY COACH COMPANY, for:

1 Emergency Medical Service Vehicle

\$14,978.24

all as more specifically set forth in said bid document Ref. No. 645 and Purchase Order No. 3-30600A, which are on file in the Office of the Department of Purchasing and are by reference incorporated herein and made a part hereof, are hereby in all things ratified, confirmed and approved.

SECTION 2. This Ordinance shall be in full force and effect from and after its passage and approval by the Mayor.

Vivian J. Schmidt

AND LEGALLY

Read the f	ivst time	in tall a	and on motion I	y J. Aldmid	c, seconded	by
				second time by		
to the Committee	e on	Gene	nic	(and		
Commission for	recommenda	tion) and	Public Heari	ng to be held a	fter due lega	l notice,
at the Council	Chambers,	City-Cour	nty Buflding,	Fort Wayne, Ind	iana, on	2
the day	δŤ		· · · · · · · · · · · · · · · · · · ·	197, at		
o'clock P.M. ,E.				1 1	177	1
Date:				CITY CLERK	10 Mille	Practice.
Read the t	nird time	in full a	and on motion	by (/ %	Schned	t,
seconded by	Hing	(a)	, and duly	adopted, placed	on its passa	ge.
Passed (Sest) b	y the foll	owing vo	te:			
	AYES	NAYS	ABSTAINED	ABSENT	TO-WIT	
TOTAL VOTES	[7]	1				
BURNS	~				Annual State	
HINGA	7	***********			Company of the Control of	
KRAUS	_	and designation of the last of		number (new decided COM) mare		
MOSES		Tolking Control		***************************************		
NUCKOLS	**************************************	instruments:		V	NAME and ADDRESS OF THE PARTY O	
SCHMIDT, D.	· · · · · · · · · · · · · · · · · · ·	~		**************************************	-	
SCHMIDT, V.	~	*********				
STIER		***********		www.d00-004	tomography and the state of the	
TALARICO		manifest (manifest)	endadadadadadamenteri	1-		
DATE:	5-27	7-55		July OF H	testgring	· Carrie
Dente de la mar	dansad l	hi the Co	mmon Council o	of the City of F	ort Wayne In	ch.
) (Appropriation		ia runa ș
(Secolution No	L	87-76	on the 27%	day of	nan	, 1975.
(Kesorucion) - No		ATTEST.	(SEAL)			-, ::-,:
Charle	2.W.L	testern	rons		Shee	_
	ILL CORRE	2		PRESIDING OF	FICER	
				of Fort Wayne, 1		
day of	They		, 197 5	, at the hour of	11:00 0'c1	ľock
	,E.S.T.			1 0 000	CONTRA M.	Parks.
			L	Laster (1)	Liferney	no
April 100 and	ind ctance	hy mo *k	ris <u>2811.</u>	lay of	Di puly Es	197 5
at the hour of	Il signed	31	lock A	M. F.S.T.	A	
at the nour or	-/-			/ 1		/
			A	MANOR S	10/1/	4

Bill No.	S-75-05-07	
	REPORT OF THE COMMI	TTEE ON FINANCE
We, your	Committee on Finance	to whom was referred an Ordinance
	approving a certain bid documen	t with SUMMIT CITY COACH COMPANY
2-1-5-	for purchase of ambulance	
sat.		
	The transfer of the second	
\$4 T	a sudd	
		· ·
	_	
	·	
		· × 6
Council t	said Ordinance under consideration and that said Ordinance PASS.	beg leave to report back to the Common
	iam T. Hinga - Vice-Chairman	William I Thomas
		- The gar
		to a surfacile
Ŧ	ield C. Moses, Jr. M. Burns	and horison.
	11. 1941113	

MADE A MATTER OF RECORD

MADE A MATTER OF RECORD

CHARLES W. WESTERMAN, CITY CLERK

memo from

Purchasing Department



April 28, 1975

Board of Public Safety 9th Floor - City County Building One Main Street - Fort Wayne, Indiana

Subject: Bid Reference No. 645

The best bid we received was from Summit City Coach. They followed our specifications the best, with only three exceptions. Southern had fifteen (15) exceptions. Wagnier Superior Sales bid was disqualified.

Summit City Coach Company

One (1) Emergency Medical Service Vehicle.

Tabulation Sheet Attached.

Purchase Order No. 3-30600A

\$14,978.24

CLOSING DATE 1/21/75 Emergency Medical Services	One (1) Emergency Medical Service Vehicle	to the	Delivery	*
Butler Coach Company. 8401 W. Washington Indianapolis, Indiana	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Champion Guardian Ambulance Springfield Equipment Co. P.O. Box 246 Springfield, Ohio 45501	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
National Custom Coaches Knightstown, Indiana h61h8	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Sheller Globe Corp. Superior Division 1200 E, Kibby St. Lima, Ohio 15802	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Southern Ambulance Bldg, Inc 1603 Orrangton Ave. Evanston, Ill. 60201 LAN-COLL OK Barbang ock	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 5 637,53	TOTAL \$ LABOR LESS TAX erc. LESS TRADE LESS DISC TOTAL - 14 975.60	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 45 DAYS in Rec.	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
Fort Wayne, Ind. 46808	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL \$ ££4,74 CONN 2,573,62 OFTEN 3,779,90	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 14 978,24	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 3c-co Days A.R.c.	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

COMPUTATION OF BIDS BID REF. 645 CLOSING DATE 1/21/75 Emergency Medical Services	One (1) Emergency Medical Service Vehicle	POTAL COST	De LIVERY	
Indiana Safety Co. 640 S. Chapion & . South Bend, Ind. 46621	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
WANGLER SUPERIOR STRES 113 WOOTHAM D. WARSON FUDITUM 46580 NON-COLL-OK BIOBOND-OK	TOTAL \$ D606-2 LESS TAX LESS TRADE LESS DISC TOTAL 990.00 Options 4/et.30	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL 14,157,30	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL GUKS A.R.O.	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL
	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL	LESS TRADE LESS DISC TOTAL	LESS TRADE	TOTAL \$ LESS TAX LESS TRADE LESS DISC TOTAL

FORM DP-3 APPROVED BY THE STATE BOARD OF ACCOUNTS FOR THE CITY OF FORT WAYNE 1965.

CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES NUMBER ONE EAST MAIN STREET **ROOM 470** FORT WAYNE, INDIANA 46802

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS ETC. TO:

Department of Public Safety (EMS) Room 330 - City County Building One Main Street - Fort Wayne, Indiana

> Summit City Coach 3412 Wells Street Fort Wayne, Indiana 46808

DELIVER TO:-OFPARTMENT OR DIVISION

ADDRESS CASH DISCOUNT TERMS QUANTITY DINCT

% IF PAID WITHIN DAYS FROM CELIVERY AND ACCEPTANCE OF GOODS OR PERFORMANCE OF SERVICES. (DEDUCTION FOR DISCOUNT SHOWN BELOW)

PURCHASE ORDER NUMBER

30600 A

April 28, 1975

REF. NO. REQ. NO. 14

THE ABOVE INFORMATION MUST APPEAR ON ALL INVOICES, BILLS OF LADING, DELIVERY TICKETS, PACKAGES AND CORRESPONDENCE. INVOICE IN DUPLICATE.

THIS PURCHASE ORDER ISSUED BY:

NP

DATE WANTED 45 Days A.R.O.

APPROPRIATION AND FUNO NUMBER

34-973-700

N. C.	OROERED	UNIT	MATERIALS, SUPPLIES OR SERVICES	PRICE	AMOUNT
			TAX EXEMPT (UNLESS OTHERWISE INDICATED)		
COMPLIANCE WITH THE DELIVERY DATE REQUESTED WILL A- VOID "FOLLOW UP" CORRESPONDENCE.	1		Emergency Medical Services Vehicle.		\$14,978.24
			Per Specifications on Bid Reference No. 645.		
READ			, =		
INSTRUCTIONS ON THE BACK OF THIS			Continue to Co. III.		
ORDER			Subject to Councilmanic Approval.		
THE CONTRACTOR OR VENDOR, BY ACCEPT- ING THIS ORDER, A- GRIES TO THE GEN- ETAL CONDITIONS AND TERMS OF AGREEMENT ON THE BACK OF THIS ORDER.					
UNLESS OTHERWISE INDICATED THE PRICES SHOWN INCLUDE ALL CHARGES FOR DELIVERY, PACKING, ETC., NECESSARY TO COMPLETE DELIVERY TO CONSTINATION SPECIFIED.			4.		
INDICATED THE PRICES SHOWN DO NOT INCLUDE TAXES OF ANY KIND.			`		
EXEMPTION BLANKS WILL BE FURNISHED WHEN NECESSARY.	* 4		-		
INO, SALES TAX EXEMP. CERTIF. NO. 34508			•		
IF THIS ORDER DOES NOT AGREE WITH YOUR OUDTATION KINDLY RETURN IT WITH AN EXPLANATION,			ATD/gb		

HEREBY CERTIFY THAT THE COST OF THE ABOVE PURCHASE IS FULLY COV-ERED BY CUNENCUMBERED BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFOR HAS BEEN OULY AUTHORIZED AND APPROPRIATED.

I HEREBY CERTIFY UPON MY OWN PERSONAL KNOWLEGGE THAT THIS OPDER IS AUTHORIZED BY A PROPERLY EXECUTED AND APPROVED REQUISITION ON FILE IN THIS OFFICE.

Edward G. Kamnikar- City Controller Per

Alex T. Demetroff -- Director of Purchases

Per

Specifications for one (1) Emergency Medical Service Van Type Vehicles. icles. The specifications are minimums and all exceptions to the specifications must be must be noted and agreed upon by the Emergency Medical Service. Standard Minimums: 1. Deluxe bucket seats (2), right side to be swivel type, with 180 degree swivel rivel anchored by 4 case hardened steel bolts, reinforced with six gauge heavy steel, steel. minimum; tinted glass in all windows; $7\frac{1}{2}$ " by 10" exterior mirrors (West Coast loast Type) including a convex portion; located at bottom of exterior mirror. Drivers uriver seat reinforced with 16 gauge flat steel mounted on top and at front of seat/ seat Gl frame. (See Drasing). t 3,590.71 Base Price: 81.00 Freight: NONE 2. Front Suspension System: 3800 pound system, Dodge MBL Type or X I65.25 equivalent, nothing less will be accepted. \times 1 12.90 3. Front Shock Absorbers: Super Duty, Dodge MBL Type, No Exceptions. 42.00 Rear: Extra Heavy Duty. Std. 4. Springs: Front: Dodge MBL Type 3800 Pound minimum, No Exceptions Rear: Leaf Type, 2750 Pound minimum. 60.00 105.00 Rear Anti-sway bar. Required. 77.15 86.20 Axie: Rear: Anti-spin, 4.10 - 1 Gear Ratio No Exceptions Front: Dodge MBL type, No Exceptios 7. Batteries: Two 12 Volt 70 amp/hour. #1 located under hood and #2 located under floor of drivers seat, accessible from outside with door open. 26.00 8. Bumpers: Front and Rear. 38.50 Engine: 360 cubic inch minimum 197.75 249.55 Transmission: 3 Speed automatic, with one speed reverse. 6.95 Horns: Dual horns with horn bar, horn for reverse gear warning system. std. INCL. Grille: Chrome or anti-rust or equivalent. Radiator: Extra large, heavy duty radiator system with 16 quart 21.30 capacity system. Std. INCL. Instrument Panel: Padded and Lighted. 33.00 Glass: Curb side Body. 16.40 15.50 Glass: Swing out rear door. 4.75 Hub Covers: Chrome or equivalent. 4.00 X 2 30.66 Wheel Rims: Painted with Dupont Black Emron Paint. Code #99U. 90.70 Body Mouldings: Chrome 109.45 138.10 Power Steering. Required. MFG. A. NERNO

	A.		
21	 Heater/Defroster: Factory air mounted in drivers compartment, separate heater and air-conditioner in patient compartment. 	\$ 529.10	5_419.35
22	. Air Conditioner: To be mounted overhead in enclosed compartment above passageway from drivers to pattent compartment, airconditioning unit must have provisions for easy access for repair purposes.		70.13
23	. Heater: Positioned in left rear of patient compartment.	\$ 150.00	15,
24	. Undercoating: Required.	\$45.00	\$ 16.48
25	. Blue vinyl interior trim on all walls and all doors.	\$ 540.00	\$ Incl. interior X1
26	. Tires: Five (5) 800×16.5 steel belted radial tires mounted, and two (2) mounted 800×16.5 steel belted radial snow-treads with studs. Thres manufactured by Goodyear or Michelin.	\$ 375.00	\$_430.00
27	. Door check arms with rubber guards on all doors.	\$40.00	\$ 6.00
28	. Doors: Double rear doors or single rear loading door.	\$ 20.75	\$ Std. B-300
	Sliding type cargo curb side door or double doors on curb side	. \$10.00	\$ 16.40
29	. Hand Throttle Control. Required.	\$ INCL.	\$ 10.36
30). Parking brake light. No exceptions.	sINCL.	\$ 5.05
3	. Size: Minimum of 100 inches total height, 125 inches total patient compartment length, 60 inch minimum patient compartment height, minimum 25 inches floor space between squad bench and installed patient cot.	\$ 1895.00	s std. × 2
	Standard Total:	\$8,911.14	\$ 5,639.58
	Less Tax:	\$	\$
	Less Discount:	\$ 246.40	\$
	Net Total:	e 8.66/1.7/4	\$ 5,639.58
			1) 2 what of Stretions with provide white
			will provide 20".

Standard Conversion Details:

	32:	Map Light: Goose neck map light mounted on passenger side of Drivers compartment.	 S_	12.50	\$	2.00	*
	33.	Trim: All blue vinyi interior trim, including side and all door panels (patlent and drivers compartment) padded and quilted design.	\$	125.00	\$.	33.03	×.2
	34.	Floor: Full length floor, one inch marine plywood base, covered with cushiontone type vinyl floor covering, water sealed at all edges, with chrome mouldings.	\$: \$	275.00	\$	69.65	x -3
	35.	Step: Step built into rear bumper, minimum width of 30 inches, 9 inches deep safety grip strut tread, self-cleaning, rounded and smoothed corners, attached by double bolt system.	\$	35.00	\$.	91.79	- 1
	36.	Lights: Four (4) bright dome lights and two (2) blue running lights in patient compartment.	\$	98.00	5_	. 22.08	0 2
	37.	Cot Holder: To be mounted into floor, mounted per drawings.	\$	35.00	\$	24.50	
	38.	Guard Rail: Chrome fold down guard rail mounted on squad bench.	\$	76.00	\$	17.50	
	39.	Seat: Attendant seat with padded back rest and safety belts, located at head of patient to be fold down type with sturdy legs.	\$	65.00	\$_	28.75	ž.
	40.	Seats: Driver and rider front seats to be equipped with shoulder harnesses.	\$	EXCEPTION X	\$	12.08	
	41.	Seats: Driver and rider front seats to be secured by double bolt system.	s	10.00	\$_	22.00	
		Cover: Wheel house cover, squad bench all covered with blue viny! with chrome mouldings.	\$	210.00	\$_	Incl. in o	x- 4
	43.	Cooling System: Separtate cooling system for transmission.	\$	45.00	5_	24.30	
		Headers: Padded door headers on all patient compartment doors, minimum of 2 inches thick.	s	40.00	\$_	20.00	1
	45.	"Star of Life": One 14" on left side, one 14" on right side window, two 14" on rear windows with backing cut out, and one 24" on roof only, all reflective material.	s	65.00	. \$_	24.00	
	46.	Headlining: White vinyl headlining, both driver and patient compartments with zippers for easy access to roof lights, limited to upper roof section only.	s	185.00	\$_	765.56	X-2
	47.	Cabinet: Cabinet above sliding door ledge, see drawings.	\$	45.00	\$	exception	12-6
٠.	48.	Panels: Side panels backed by sheet metal with metal behind ceiling viny!.	\$	incl.	5_	33.03	x-7
	491	Cabinetry: All cabinetry to be of metal construction with chrome trim.	\$	485.00	8_	630,00	X-8
	X-1	Except he right sive Heavess X-4 Finer 61855					-
3	1.2	white Fisen 6loss 3.5 " "					
	X-3	The Physical with Lindbern 2-7 " 1 2 9 4 9		ř			

80 - 6 - 15

0.	Switch Panel		ivers compartment for a		s	511.50	- s_	113.09	Incl. wiring	
í.	Switch Panel	: Switch Panel in pa b) heater, c) air o	tient compartment for a conditioning, d) exhaus	a) dome lights st fan, o) etc.	s	75.(11)	- \$_	17.25		_
2.	Switches: A	ll rocker switches on ircuit breakers for i	all lights with pilot nterior overload prote	ction.	\$	130.00	- s_	25.00		_
3.		utomatic pillar switc ights.	hes on all rear doors	for Interior	\$	45,00	- 5_	4.60		_
54.	Reflectors:	Red reflectors insid	e and outside of all d	cors.	\$	12.60	- 5_	6.00		_
55.	Insulation:	extinghishing Polyst Under floor, and under urethane foam. All steel, minimum of 14 member type steel, r compartment on top s	r siren speakers with side body panels reinf gauge 8" wide x 2" ch unning full length of side of wheel wells. (ed with steel channel sings). Accessway betw	2 Inch spray orced with heav anneled, side patient See Drawings) / of 14 x 8" x 2'	#2	410.00	, ; ———————————————————————————————————	250.00		
		4.	A N							
			Standard	Conversion Total	al S	2,533.60		\$ 2,236	. 21	
				Less Tax.		5		\$		
				Less Discount:	. :	5		\$		
			· · ·	Net Total:		\$ 2,533.60		\$ 2,236	5.21	
				•		tl				

56.			er, one outlet in pation		\$	510.00	_ s	375.00	
57.	mounted outlets demand valve, as hoses, and all r	, flow meter, humid spirator trap, and metal reinforced ox	uding regulator, two fifier, masks and hoses collection unit, high ygen tank cradle for "lee drawing for loactio	, oxygen pressure M" size	`\$ <u>`</u>	485.50	s ³ :	294.93	
58.	Paint: White Fa painted and top	with Dupont Emron	ellow Dupont code #774 paint surrounding van	4UH, stripe sides, back	s	420.00	. 5_	17.83 MX	-2
59.	Plasma Hook: To	o be mounted in pat etween at tendant se	ient compartment ceill at and patient cot.	ng, mounted	s	18.50		8.00	
60.	Ventilator: Por	wer drivén with scr	een.		\$	75.50	\$_	26.50	
61.	Hand Too! Set:	2 pair orange flow battery, two lengt	lights with batteries, rescent rubber gloves, ths 3/4" manila rope 50 and 24" wrecking bar.	latern with 'each,double	\$	exception X	s_	104.15	
62.	Master Switch:	In drivers compart systems except ins	ment to cut off all emide lights.	ergency	\$	35.50	_ \$_	6.00	
63.	Fire Extinguish		nd dry chemical fire exvers compartment.	xtinguisher,	s	27.50	_, \$_	14.50	
64.	Alternator: 13	0 amp Leece-Neville	alternator or equival	ent.	\$	360.00	_\ s_	218.69	
65.	Aspirator: Ele	etric Rico suction	or equivalent.		\$	105.00	\ s_	198.90	
66.	Assist bar: Fu	II length mounted o	n ceiling, stainless s	teel.	s	112.5%	. \$	7.00	
67.	Storage Capabil	ities: 1 Scoop Str	etcher - above left si	de.	\$	1501.		119.00	
		· 1 Stair cha	ir - inside left rear	door	\$	65.00	. \$	77.00	
		2 full leng behind whee	gth backboards – left r el well.	ear wali	s	INCL.	_	96.60	
		1 short bac wheel well.	ckboard - left rear wal	1 behind	\$	INCL.	_ \$	27.60	
68.	eli		rotected selector switch shutdown, mounted on ri		s	75.50	_ \$	19.00	
69.	Rail: Mounted side.	Fairfield Modura ra	ail, elght feet long, c	on cabinot	\$	112.00	\$	64.00	* 4
70.	Guides: Two at	ttached Modura guid	es.		\$	1500.	~ 5	10.00	
71.	I.V. Pole: Att	tached I.V. Pole, 5 modura guide.	Inches in pole height	attached	\$	13.50	5	24.50	
72.	Handle Exits:	Inside rear loadin	g doors.		\$	10.07		6.00	a magnetikanski erre.
							1		pa , .

73.	Beacon Rays: Dual 184 beacon rays mounted on	front roof corners.	\$	254.00	117.74	
74.	Flashing Lights: Eight 6 inch alternating rec lights, tunnel type, waterpr mountings moulded into roof roof sides and front and rec	roof seal, tunnel shell, 2 mounted on	s	240.00	34.96	
75.	Roof: All steel, with Interior mounted steel NOTE See item # 31 page 4	rool bars.	\$	INCL.	725.00	<u>X-</u> /
76.	Spotlight: Hand held, clear, mounted passenge feet of cord and securely fastened 50,000 candlepower or equivalent.	er side only, with six d on mounting on dash.	s	35.50	26.50	
77.	Flood lights: Two mounted on each side, and equivalent with right and left operated by separate switches Rear floods minimum of 100,000 flood lights minimum of 150,00	bank system to be in drivers compartment. candlepower and side	\$	108.00	\$ 60.00	
78.	Flashing Light: Hood mounted red/white flash center of hood.	ing light mounted in	\$	EXCEPTION X	2 _{\$ 58.87}	<u> </u>
79.	Fog Lights: Amber, mounted below grille.		\$	· 68.29	\$30.48	
80.	Flashing wig-wag Lights: Two (2) 4-7/8 inch wig-way lights moun	round red flashing ted in grille.	\$	54.20	6.00	
81.	Siren: Federal PA 100 siren system with two CP100 speakers, including a PA system	exterior mounted chrome	\$	594.00	\$ 367.30	
		Optional Total	\$	3,779.90	_5 <u>3,142.05</u>	
		Less Tax:	\$	- II	_\$	
		Less Discount:	\$		_\$	
		Net Total:	\$	3,779.90	_\$3,142.05	

X-1 Not steel But FIBER Gloss
X-2 Elephion-

r standard steel static load test ucture, SBMI

SPECIFICATIONS QUESTIONAIRE SPECIFICATIONS QUESTIONAIRE

Bidders Proposal - To Be Comp Bidders Proposal - To Be Completed by the Bidder

. Star	ndard Specifications: Stan	dard Specifications:
1.	Basic Van: 1974 Dodge B-300 Maxivan 1.	Basic Van: 1975 Dodge B 300
2.	Front Suspension System: M B L - TYPE 2.	Front Suspension System: Manufacturer's standard ("MS") - See attached brochure
3.	Front Shock Absorbers: M B L TYPE 3.	
4.	Springs: FRONT 3800 lb. REAR 2750 lb. 4.	Springs:
5.	Rear A rti-Sway Bar: YES 5.	Rear Arti-Sway Bar: Roll and Sway Bar Van Dyke Enterprises
. 6.	Axle: 410 - ANTI SPIN 6.	
7.		Catteries: Two (2) 12 volt 70 amp. hour Mopar
8.	Bumpers: CHROME FRONT AND REAR 8.	· · ·
9.	Engine: 360 V = 8	· · · · · · · · · · · · · · · · · · ·
10.	Transmission: AUTOMATIC 10.	
11.	201747	
12.	CELLIDADD.	
13.		Radiator: MS
14.		Instrument Panle: MS
	Glass: TINTED WINDSHIELD 15.	
	Glass: TINTED ALL SIDE GLASS 16.	
17.	011101/51	
18.	DATMURTO PLE EMBON	
19.	(COMMANDA P.)	
20.	TNOY	
21.	Heater/Defroster: INCL. 21.	Heater/Defroster: MS
22.	Air Conditioner: FROMT AND NEAR 22.	Air Conditioner: MS
	Hoater: FRONT AND NEAR 23.	
24.	Undercoating: POLYSTYMENE 24.	Undercoating: Mortell No. 931
25.	Interior Trim: METAL WITH VEHVE COVEREING 25.	Interior Trim: MS

Standard	Specif	ications:	Continued

25.	Tires: 800 X 16.5 STEEL BELIED RADIAL
27.	Door Check Arms: RUBBER GUARD TYPE _ ALL DOORS
28.	Doors SLIDING SIDE DOOR
29.	Hand Throttle Control: MOUNTED ON DASH
30	Parking Brake Light: MOUNTED IN DASH
31.	SIZE: STANDARD MAXIVAN 100 INCHES TOTAL HEIGHT, 125 INCHES TOTAL PATIENT
	COMPARTMENT LENGTH, 60 INCHES MINIMUM PATIENT COMPARTMENT HEIGHT.
Stan	dard Conversion Details:
32.	Map Light: SIDE MOUNT
33.	Trim: VINYL. WITH ALUM. MLDGS.
34.	Floor: ONE INCH PLYWOOD CUSHIONTONE VINYL COVERING
35.	Step: 30 INCHES X 9 INCHES
36.	Lights: FOUR CLEAR LIGHTS AND TWO BLUE LIGHTS
37.	Cot Holder: MOUNTED TO FLOOR
38.	Guard Rail: CHRONE FOLD DOWN MOUNTED TO SQUAD BENCH
39.	Seat: FOLD DOWN TYPE STAINLESS WITH VINYL TYPE COVERING
40.	Seats: BUCKET TYPE RIGHT SIDE TO SWIYEL
41.	Seats: BOTH FRONT SEATS SECURED BY DOUBLE BOLT SYSTEM
42.	Cover: BLUE VINYL WITH CHROME MOULDINGS
43.	Cooling System: SEPARTATE COOLING SYSTEM FOR TRANSMISSION
44.	Headers: TWO INCH PADDED SIDE DOOR, REAR DOOR
45.	"Star of Life": AS REQUIRED
46.	Headlining: WHITE VINYL WITH FRONT AND REAR SIPPER
47.	Cabinet: AS PER DRAWING
	Panels: SHEET METAL WITH VINYL COVERING
49.	Cabinetry: ALL STEEL WITH ALUM. TRIM

. Standard Specifications: Continued

26.	Tires: 7 - Michelin 800 X 16.5 8-ply radials (incl. 2 snow tires)
27.	Door Check Arms: Reliable No. 2395 BB
28.	Doors MS
29.	Hand Throttle Control: Vernier
30	Parking Brake Light: MS
31.	Size: MS

Standard Conversion Details:

Federal CL 70

32.	Map Light: Federal CL 70
33	Trim: 3/4" moulding No. 325 (Conroth)
34	Floor: 3/4" exterior glue plywood - Armstrong linoleum covering
35	Step: 9 1/2" X 68" grip strut
36	Lights:_ Cats Eye No. 600 (Flasher & loading)
37	. Cot Holder:No. 1 Ferno Washington
38	. Guard Rail: No. 551 Ferno Washington
39	Seat: Attendant - 3" Polyfoam covered by General Tire retardant vinyl
40	Sea's: MS - secured by double bolt system
	. Seats: MS
42	. Cover: Wheel house - SAB fiberglass squad bench
	. Cover: Wheel house - SAB fiberglass squad bench . Cooling System: MS
43	. Cooling System: MS
43 44	. Cooling System: MS . Headers: Fire resistant vinyl
43 44	. Cooling System: MS
43 44 45	Cooling System: MS Headers: Fire resistant vinyl "Star of Life": 3 M Scotchlite
43 44 45 46	Cooling System: MS Headers: Fire resistant vinyl "Star of Life": 3 M Scotchlite Headlining: Fiberglass
43 44 45 46 47	Cooling System: MS Headers: Fire resistant vinyl "Star of Life": 3 M Scotchlite Headlining: Fiberglass Cabinet: Fiberglass
43 44 45 46 47 48	Cooling System: MS Headers: Fire resistant vinyl "Star of Life": 3 M Scotchlite Headlining: Fiberglass

Stand	ard Conversion Details:
50.	Switch Panel: DASH MOUNTED
51.	Switch Panie: REAR COMPARTMENT AS REQUIRED
52.	Switches: ALL ROCKER TYPE WITH PILOT LIGHT AND CIRCUIT BREAKERS
53.	Switches: MOUNTED ON PILLERS AS REQUIRED
54.	Reflectors: MOUNTED INSIDE OF ALL DOORS EXCEPT SIDE BOOR
55.	Insulation: POLYSTYRENE TYPE CEILING, SIDE WALLS, UNDERFLOOR
	ALL SIDE PANELS REINFORCED WITH 14 GAUGE 8 INCH BY 2 INCH CHANNEL
	MOUNTED FULL LENGHT PATIENT COMPARTMENT
	FRONT DOORS AS ABOVE.
Add1	tional Options
56.	Converter: 1000 WATT THREE OUTLETS AS REQUIRED
	Oxygen Hospital Installation: REGULATOR, TWO OUTLETS FLOW METER, HUMIDIFIER
	MASKS AND HOSES DEMAND VALVE, ASPIRATOR TRAP, COLLECTION UNIT. METAL CRADLE FOR M SIZE TANK ALL PUNITAN BENNETT TYPE: Paint: EMRON AS REQUIRED
	Plasma Hook: MOUNTED IN CEILING
	Ventilator: PCWER DRIVEN WITH SCREEN
61.	Hand Tool Set: EXCEPTION
62	Master Switch: MOUNTED IN DRIVERS COMP. CONTROL TO EMERGENCY SYSTEMS
	Fire Extinguisher:_ TEN LB.
	Alternator: 130 AMP. LEECE_ NEVILLE
	Aspirator: ELECTRIC TYPE
	Assist Bar: STAINLESS
	Storage Capabilities: AS INCLOSED DRAWINGS
68	Batteries: TWO WITH SELECTOR SWITCH
	. Rail: FAIRFISLD MODURA RAIL EIGHT FEET LONG
	. Guides: TWO ATTACHED MODURA GUIDES

rage ii 🤃

tan	and Conversion Details:
	Switch Panel: Transportation Safety Devices
	Switch Panle:
52.	Switches:
53.	Switches: Cole Hersee No. 9087
54.	Reflectors: Cats Eye No. 385
	Insulation: 2" polystyrene
Addi	tional Options
56.	Converter: Creative Electronics 1000 watt
57.	Oxygen Hospital Installation: Regulator, 2 outlets, flow meter, humidifier, mask and
	valve - Puritan Bennett
58.	Paint: MS Stripe to be Omaha orange
	Plasma Hook: Ferno Washington No. 534
	Ventilator: Evans No. 9137
	Hand Tool Set: Rockford Safety
62	Master Switch: Cole-Hersee No. 2484
63	Fire Extinguisher: 10 1b. ABC RC Industries
64	Alternator: 130 Amp. Lecce-Neville
	Aspirator: Laerdal No. 790000
	Assist Bar: Abbott Industries
	Storage Capabilities: As per specs
68	. Batteries: Dual with Cole-Hersee No. M 705 battery switch
	Rail: Fairfield Modura Rail
•	Guldes: Two attached Fairfield Modura

Additional Options - Continued				
71.	1.V. Pole: ATTACHED FIVE INCH POLE HEIGHT .			
72.	Handle Exits: INSIDE REAR LOADING DOORS			
73	Beacon Rays: DUAL 184 MOUNTED ON ROOF CORNERS			
73.	Flashing Lights: EIGHT SIX INCH TYPE FLASHING RED AND AMBER TUNNED TYPE			
74.	Flashing Lights: Didni bar and			
75.	Roof: ALL STEEL, THREE ROLL BARS, WELDED TYPE CONSTRUCTION			
76	Spotlight: HAND HELD. FRONT COMPARTMENT MOUNTED			
. 77	Flood Lights: (6) TWO REAR, TWO EACH SIDE QUARTZ TYPESEPARATE SWITCHES AS REQUIRED			
,,,	11000 Eigin 3. ((a) 11000			
78.	Flashing Light: EXCEPTION			
79.	Fog Lights: TWO BUMPER MOUNTED QUARTZ TYPE			
80.	Flashing Wig-Wag Lights: GRILLE MOUNTED FIVE INCH RED			
91	Siren: FEDERAL P A 100 WITH TWO EXTERIOR MOUNTED CHROME C P 100 SPEAKERS WITH P			
01.	JII GII COMMANDE -			

Addit	tional Options - Continued		
/1.	!.V. Pole: Fairfield 5"		_
	Handle Exits: Inside rear doors		
	Beacon Rays: Federal No. 184		_
15.	Beacon Rays:		
74.	Flashing Lights: Cats Eye No. 600		
		- 73	
			-
75.	Roof: Steel reinforced fiberglass		
	Spotlight: ITT Jabsco No. 65		_
77.	Flood Lights: Cats Eye No. 600		_
	· ´		
			_
78.	Flashing Light: Unity No. 10300 A		
	Fog Lights: North American Signal No. W 124		
			_
80.	Flashing Wig-Wag Lights: Peterson Manufacturing Grille lights		_
81.	Siren: Federal PA 100 2-CP 100 speakers		-

A....: I tamy Specifications

MUXI	lary	Speci	I ICai	10112

Warranties must be furnished with bid.

Lettering capabilities of Vendor to match present units. Yes X No

If yes Price \$ 50.00

18.664.74

Floor plans must be furnished with bid.

Specify Delivery Date: 30 TO 60 DAYS

Alternatives are welcome if specified as to Manufacturer's Brand Name and Model Num

Standard Total

Standard Conversion Total \$ 2,533.60

Options Total \$ 3,779.90

Options Total \$ 3,779.90

Total Bid Price \$ 14,978.24

Auxiliary Specifications:

ATTEMY SPECIFICATION.

Warranties must be furnished with bid. (See below)

Floor plans must be furnished with bid. See enclosed brochure. †

Specify Delivery Date: 45 days from award of contract

Alternatives are welcome if specified as to Manufacturer's Brand Name and Model Number.

Standard Total	\$ 5,639.58
Standard Conversion Total	\$ 2,236.21
Options Total	\$ 3,142.05
Total Bid Price * \$ 14,975.00	

(1) To be determined after inspection of present units

Warranty and Service: We warrant our portion of the unit to be free of defects in materials and workmanship for one year from delivery. The chassis and components supplied by other manufacturers carry their representative standard warranties. Service on our portion of the unit will be provided within 24 hours from our plant in Elkhart, Indiana.

* Includes labor, overhead, profit and delivery, none of which is allocated to individual items.

Admn. Appr.

DIGEST SHEET

*TITLE OF ORDINANCE Purchase of Ambulance

8-75-05-07

EPARTMENT REQUESTING ORDINANCE Public Safety
YNOPSIS OF ORDINANCE Assignment of PO# 3-30600A to Summit City Coach
Company for purchase of an ambulance. Bid reference #645.
FFECT OF PASSAGE Allow rotation of old ambulances for total refurbishing
and to increase rolling stock to insure proper response as required.
CFFECT OF NON-PASSAGE Inability to continue to provide the present level
of service.
MONEY INVOLVED (Direct Costs, Expenditures, Savings)
Direct cost \$14,978.24
SSIGNED TO COMMITTEE (J. N.) Kinemel JU